

FXLuminaire®

PRODUCT GUIDE

LANDSCAPE LIGHTING



FINISHES

Metals								Powder coat - Standard					Powder coat - Specialty [†]				Composites	
																		
AB on copper	AB on brass	AT on copper	AT on brass	CU	BS	SS	NP [†]	BZ	DG	WI	SB	FB	WG [†]	FW [†]	AL [†]	SV [†]	CB	DT

INTEGRATED LED FIXTURES

LED Accent Lights

◀ QZ

Height: 5.8"/14.6 cm
Diameter: 1.8"/4.5 cm
LEDs: 1
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum



◀ FB + color

Height: 7.5"/19.1 cm
Diameter: 2.0"/5.1 cm
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum



◀ NP+ color

Height: 8.4"/21.3 cm
L Shield: 10.3"/26.9 cm
Diameter: 2.7"/6.8 cm
LEDs: 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum

◀ QB

Height: 6.0"/15.1 cm
Width: 2.9"/7.5 cm
Depth: 2.2"/5.5 cm
LEDs: 1
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum



◀ PB + color

Height: 6.7"/17.1 cm
Width: 4.0"/10.2 cm
Depth: 2.2"/5.7 cm
LEDs: 1, 3
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Brass or Aluminum



◀ LC + color

Height: 6.5"/16.5 cm
Width: 4.5"/11.4 cm
Depth: 3.0"/7.6 cm
LEDs: 3, 6, 9
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Brass or Aluminum

◀ CC + color

Height: 5.3"/13.3 cm
L Shield: 6.4"/16.3 cm
Diameter: 1.6"/4.1 cm
LEDs: 1, 3
Finishes: AB, AT, BS, NP[†]
Material: Brass



◀ VS + color

Height: 7.6"/19.3 cm
L Shield: 8.3"/21.2 cm
Diameter: 2.5"/6.4 cm
LEDs: 1, 3, 6, 9
Finishes: AB, AT, BS, NP[†]
Material: Brass



◀ NR + color

Height: 7.0"/17.0 cm
L Shroud: 8.0"/20.0 cm
Diameter: 2.5"/6.4 cm
LEDs: 1, 3, 6, 9
Finishes: CU, AB, AT, NP[†]
Material: Copper/Brass

LED Down Lights

◀ QT

Height: 6.8"/17.3 cm
Diameter: 2.1"/5.3 cm
LEDs: 1
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Aluminum



◀ JB + color

Height: 8.9"/22.6 cm
Diameter: 2.4"/5.9 cm
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum




◀ DE + color

Height: 9.7"/24.6 cm
Diameter: 3.0"/7.6 cm
LEDs: 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum

◀ PS + color

Height: 3.3"/8.4 cm
Diameter: 3.2"/8.1 cm
LEDs: 1, 3, 6, 9
Finishes: AB, AT, BS, NP[†], CU, BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Brass or Aluminum



◀ NL + color

Height: 3.3"/8.4 cm
Width: 3.2"/8.1 cm
LEDs: 1, 3, 6, 9
Finishes: AB, AT, BS, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Brass or Aluminum



◀ LE

Height: 3.3"/8.3 cm
Diameter: 1.6"/4.1 cm
LEDs: 1
Finishes: AB, AT, BS, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum or Copper/Brass



◀ VE + color

Height: 3.1" / 7.9 CM
Diameter: 2.3" / 5.9 cm
LEDs: 1, 3
Finishes: AB, AT, BS, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum or Copper

LED Wall Lights ▼



◀ PO

Diameter: 1.5" conduit
Height: 2.5" / 6.4 cm
LEDs: 1
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Brass



◀ MO + color

Diameter: 2.0" conduit
Height: 3.3" / 8.3 cm
LEDs: 1, 3
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†], SV[†]
Material: Brass



◀ MS

Diameter: 3.7" / 9.4 cm
Depth: 2.0" / 5.1 cm
LEDs: 1
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum or Brass



◀ LF

Height: .9" / 2.2 cm
Width: 6.7" / 17.0 cm
Depth: 3.6" / 9.2 cm
LEDs: 1
Finishes: AB, AT, BS, CU, SS, BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Brass
 Bracket: Stainless Steel



◀ CP

Width: 5.0" / 12.7 cm
Height: 3.5" / 8.9 cm
Depth: 3.9" / 9.8 cm
LEDs: 1
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper



◀ LM

Width: 9.0" / 22.9 cm
Height: 3.5" / 8.9 cm
Depth: 4.0" / 10.2 cm
LEDs: 2
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper



◀ UN

Width: 5.0" / 12.7 cm
Height: 3.5" / 8.9 cm
Depth: 3.9" / 9.8 cm
LEDs: 1
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, CB, DT, WG[†], FW[†], AL[†]
Material: Brass or Composite



◀ PD

Width: 9.0" / 22.9 cm
Height: 3.5" / 8.9 cm
Depth: 4.0" / 10.2 cm
LEDs: 2
Finishes: AB, AT, BS, NP[†], BZ, DG, WI, SB, FB, CB, DT, WG[†], FW[†], AL[†]
Material: Brass or Composite

LED Aluminum Path/Area Lights ▼



◀ TM + color

Height: 15.0" / 38.1 cm*
Diameter: 5.0" / 12.7 cm
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum
Riser Required: A[†]



◀ PL + color

Height: 15.0" / 38.1 cm*
Diameter: 6.0" / 15.2 cm
LEDs: 1, 3
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Aluminum
Riser Required: A[†]

LED Copper Path/Area Lights ▼



◀ HC

Height: 15.0" / 38.1 cm*
Diameter: 3.6" / 9.2 cm
LEDs: 1
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper/Brass
Riser Required: P[†]



◀ JS + color

Height: 16.5" / 41.9 cm*
Diameter: 6.3" / 16.0 cm
LEDs: 1, 3
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper/Brass
Riser Required: G[†]



◀ PF

Height: 15" / 38.1 cm*
Diameter: 5.0" / 12.7 cm
LEDs: 1
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper/Brass
Riser Required: P[†]



◀ DM + color

Height: 16.2" / 41.2 cm*
Diameter: 7.1" / 18.0 cm
LEDs: 1, 3
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper/Brass
Riser Required: G[†]



◀ SC

Height: 15.5" / 39.4 cm*
Diameter: 4.7" / 11.9 cm
LEDs: 1
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper/Brass
Riser Required: P[†]



◀ CA + color

Height: 16.2" / 41.2 cm*
Diameter: 7.4" / 18.8 cm
LEDs: 1, 3
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper/Brass
Riser Required: G[†]



◀ BD

Height: 15.5" / 39.4 cm*
Diameter: 4.7" / 11.9 cm
LEDs: 1
Finishes: AB, AT, CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper/Brass
Riser Required: P[†]

* With 12" riser. See catalog or fxl.com for riser sizes.

† LED path lights are ordered in two parts: 1) Top Assembly and 2) Riser Assembly.

‡ Items in this finish are not returnable.

◀ **CB + color**



Height: 16.2"/41.2 cm*
Diameter: 7.4"/18.8 cm
LEDs: 1, 3
Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass
Riser Required: G⁺

◀ **PR**



Height: 15.0"/38.1 cm*
Diameter: 3.8"/9.7 cm
LEDs: 1
Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass
Riser Required: P⁺

◀ **CV + color**



Height: 15.8"/40.1 cm*
Diameter: 7.4"/18.8 cm
LEDs: 1, 3
Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass
Riser Required: G⁺

LED Path/Area Lights ▼

◀ **TD + color**



Height: 18.0"/45.7 cm
XT Height: 29.5"/74.9 cm
Diameter: 5.0"/12.7 cm
LEDs: 1, 3, 6, 9
Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass

◀ **FG + color**



Height: 22.0"/55.9 cm
Diameter: 5.0"/12.7 cm
LEDs: 1, 3, 6, 9
Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass

◀ **PM + color**



Height: 14.0"/35.6 cm
XT Height: 18.5"/47.0 cm
Diameter: 2.5"/6.4 cm
LEDs: 1, 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, SV[‡], WG[‡], FW[‡], AL[‡]
Material: Aluminum

◀ **RW + color**



Height: 7.6"/19.3 cm
Diameter: 4.1"/10.3 cm
LEDs: 1, 3, 6, 9
Finishes: BZ, DG, WI, SB, FB, SV[‡], WG[‡], FW[‡], AL[‡]
Material: Aluminum

LED In-Grade & Well Lights ▼

◀ **PE + color**



Height: 7.6"/19.3 cm
Diameter: 4.1"/10.3 cm
LEDs: 3, 6, 9
Finish: CB
Material: Composite

◀ **KG + color**



Diameter: 6.0"/15.2 cm
Height: 9.2"/23.4 cm
LEDs: 3, 6, 9
Finishes: AB, AT, BS, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Brass or Aluminum

Ring (RG) Cowling (CW)



◀ **FC + color**



Ground Wash (GW)



Height: LV: 5.1"/13.0 cm
RG: 4.8"/12.2 cm
CW: 6.8"/17.3 cm
GW: 5.7"/14.5 cm
Diameter: 4.0"/10.2 cm
LEDs: 1, 3, 6, 9
Finishes: AB, AT, BS, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Brass

LED Underwater Light ▼

◀ **LP + color**



Stand Included

Diameter: 2.7"/6.9 cm
Height: 1.9"/4.8 cm
LEDs: 1, 3
Finish: BS
Lead: 30' or 100'
Material: Brass

◀ **LL + color**



Length: 6.4"/16.3 cm
Diameter: 3.3"/8.4 cm
Height: 5.29"/13.4 cm
LEDs: 1, 3, 6, 9
Finish: BS
Lead: 30' or 100'
Material: Brass

STANDARD BASE FIXTURES

LED Specialty Light ▼

◀ **BQ**



Length: 24.0"/61.0 cm
Diameter:
Head: 1.8"/4.5 cm
Base: 3.6"/9.4 cm
LEDs: 1
Finishes: SS
Material: Stainless

Standard Base Accent Lights ▼

◀ **RS**



Long Shroud

Height: 6.5"/16.5 cm
L Shield: 7.8"/19.9 cm
Diameter: 2.4"/6.1 cm
Lamp Base: MR-16
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Zinc

◀ **MU**



Long Shroud

Height: 7.5"/19.1 cm
L Shield: 8.7"/22.1 cm
Diameter: 2.4"/6.1 cm
Lamp Base: MR-16
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Aluminum

◀ **SI**



Long Shroud

Height: 6.5"/16.5 cm
L Shield: 7.8"/19.9 cm
Diameter: 2.4"/6.1 cm
Lamp Base: G4
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Zinc

◀ **MP**



Height: 5.0"/12.7 cm
Diameter: 1.6"/4.1 cm
Lamp Base: MR-11
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Zinc

◀ **LO**




Height: 6.0"/15.3 cm
Diameter: 2.3"/5.7 cm
Lamp Base: MR-16
Finishes: BS, NP[‡]
Material: Brass

ZDC capable fixture

Standard Base/Area Lights ▾

Long
Shroud



◀ LR

Height: 6.0"/15.3 cm
Long Shield: 7.5"/19.1 cm
Diameter: 2.4"/6.1 cm
Lamp Base: MR-16
Finishes: CU, NP[‡]
Material: Copper/Brass



◀ RL

Height: 6.5"/16.5 cm
Diameter: 4.0"/10.2 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ PF

Height: 15.0"/38.1 cm*
Diameter: 4.0"/10.2 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ SP

Height: 15.5"/39.4 cm*
Diameter: 3.6"/9.2 cm
Lamp Base: G4
Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ SC

Height: 15.5"/39.4 cm*
Diameter: 4.7"/11.9 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ DM

Height: 16.2"/41.2 cm*
Diameter: 7.1"/18.0 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ DL

Height: 15.0"/38.1 cm*
Diameter: 6.3"/15.9 cm
Lamp Base: G4
Finishes: AB, AT, CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ CA

Height: 16.2"/41.2 cm*
Diameter: 7.4"/18.8 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ GN

Height: 28.5"/72.4 cm*
Diameter: 10.0"/25.4 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ BD

Height: 15.5"/39.4 cm*
Diameter: 4.7"/11.9 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ PR

Height: 14.7"/37.4 cm*
Diameter: 3.8"/9.7 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ AP

Height: 15"/38.1 cm*
Diameter: 3.9"/9.9 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ CB

Height: 16.2"/41.2 cm*
Diameter: 7.4"/18.8 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ CV

Height: 15.8"/40.1 cm*
Diameter: 7.1"/18.0 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ AN

Height: 15.5"/39.2 cm*
Diameter: 6.3"/16 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ DP

Height: 13.5"/34.3 cm*
Diameter: 2.9"/7.4 cm
Lamp Base: G4
Finishes: CU, NP[‡], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ TM

Height: 15.0"/38.1 cm*
Diameter: 5.0"/12.7 cm
Lamp Base: G4
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Aluminum



◀ PL

Height: 15.0"/38.1 cm*
Diameter: 6.0"/15.2 cm
Lamp Base: G4
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Aluminum

* With 12" riser. † With 18" riser. See catalog or fxl.com for riser sizes.
‡ Items in this finish are not returnable.

Standard Base Path/Area Lights ▼



◀ FG

Height: 22.0"/55.9 cm
Diameter: 5.0"/12.7 cm
Lamp Base: Single Contact Bayonet
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ TD

Height: 18.0"/45.7 cm
XT: 29.5"/74.9 cm
Diameter: 5.0"/12.7 cm
Lamp Base: Single Contact Bayonet
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass



◀ AL

Height: 27.5"/69.9 cm
Diameter: 6.0"/15.2 cm
Lamp Base: Single Contact Bayonet
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Aluminum



◀ PM

Height: 14.0"/35.6 cm
Diameter: 2.5"/6.4 cm
Lamp: AR-11
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Aluminum



◀ DS

Height: 19.0"/48.3 cm*
2T: 16.0"/40.6 cm*
Diameter: 6.0"/15.2 cm
Lamp: G4 Xenon or Halogen
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Aluminum



◀ DR

Height: 19.0"/48.3 cm*
2T: 16.5"/41.9 cm*
Diameter: 10.0"/25.4 cm
Lamp: G4 Xenon or Halogen
Finishes: BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Aluminum



◀ GT

Height: 14.0"/35.6 cm*
Diameter: 4.0"/10.2 cm
Lamp: G4 Xenon or Halogen
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass

Standard Base Wall Lights ▼



◀ CP

Face Height: 3.5"/8.9 cm
Face Width: 5.0"/12.7 cm
Depth: 3.9"/9.8 cm
Lamp: G4 Xenon or Halogen
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper



◀ LM

Face Height: 3.5"/8.9 cm
Face Width: 9.0"/22.9 cm
Depth: 4.0"/10.2 cm
Lamp: G4 Xenon or Halogen
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper



◀ UN

Face Height: 3.5"/8.9 cm
Face Width: 5.0"/12.7 cm
Depth: 3.9"/9.8 cm
Lamp: G4 Xenon or Halogen
Finishes: BS, NP[†], BZ, DG, WI, SB, FB, CB, DT, WG[‡], FW[‡], AL[‡]
Material: Brass or Composite



◀ PD

Face Height: 3.5"/8.9 cm
Face Width: 9.0"/22.9 cm
Depth: 4.0"/10.2 cm
Lamp: G4 Xenon or Halogen
Finishes: BS, NP[†], BZ, DG, WI, SB, FB, CB, DT, WG[‡], FW[‡], AL[‡]
Material: Brass or Composite



◀ BP

Height: 1.0"/2.5 cm
Width: 6.8"/17.2 cm
Depth: 3.5"/8.9 cm
Lamp: G4 Xenon or Halogen
Finishes: CU, BS, SS, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Stainless Steel



◀ MM

Depth: 1.8"/4.5 cm
Diameter: 3.3"/8.3 cm
Lamp: G4 Xenon or Halogen
Finishes: BS, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Brass or Aluminum



◀ CG

Face Dia: 3.0"/7.6 cm
Box Length: 3.1"/7.9 cm
Box Dia: 2.0"/5.1 cm
Lamp: Halogen MR-8
Finishes: BS, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Brass

Standard Base Down Lights ▼



◀ VL

Height: 4.5"/11.4 cm
Diameter: 2.0"/5.1 cm
Lamp: Halogen AR-11
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper/Brass




◀ LS

Height: 3.0"/7.6 cm
Diameter: 1.4"/3.5 cm
Lamp: Incandescent
Finishes: CU, NP[†]
Material: Copper/Brass



◀ TC

Height: 3.5"/8.9 cm
Width: 2.8"/7.0 cm
Length: 2.8"/7.0 cm
Lamp: Halogen AR-11
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper



◀ CL

Height: 3.5"/8.9 cm
Diameter: 3.3"/8.3 cm
Lamp: Halogen AR-11/20
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[‡], FW[‡], AL[‡]
Material: Copper

Standard Base Down Lights ▼

◀ TS



Length:
TS-20/35: 5.0"/12.7 cm
TS-50: 6.5"/16.5 cm
Diameter:
TS-20/35: 2.0"/5.1 cm
TS-50: 2.5"/6.4 cm
Lamp: Halogen AR-11/20
Finishes: CU, NP[†], BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†]
Material: Copper or Aluminum



◀ MD

Length: 9.5"/24.1 cm
Diameter: 2.6"/6.6 cm
Lamp: Halogen MR-16
Finishes: BZ, DG, WI, SB, FB, WG[†], FW[†], AL[†],
Material: Aluminum



◀ FC

Height:
LV: 5.1"/13.0 cm
RG: 4.8"/12.2 cm
CW: 6.8"/17.3 cm
Diameter: 4.0"/10.2 cm
Lamp: Halogen MR-11
Finishes: BS, NP[†], CB, DT
Material: Brass or Composite

Ring (RG) Cowling (CW)



◀ RP

Height:
LV: 9.3"/23.6 cm
RG: 9.0"/22.9 cm
CW: 11.0"/27.9 cm
Diameter: 6.8"/17.1 cm
Lamp: Halogen MR-16
Finishes: BS, NP[†], CB, DT
Material: Brass or Composite



◀ CF

Height: 9.0"/22.9 cm
Diameter: 6.0"/15.2 cm
Lamp: Halogen PAR36
Finishes: CB, DT
Material: Composite



◀ TE

Height: 12.3"/31.1 cm
Diameter: 6.4"/16.3 cm
Lamp: Halogen MR-16
Finishes: BS, NP[†]
Material: Brass

Standard Base Underwater Light ▼

◀ LB



Length: 6.4"/16.3 cm
Diameter: 3.3"/8.4 cm
Height: 5.3"/13.4 cm
Lamp: Halogen
Finish: BS
Material: Brass

LED/Incandescent Controllers ▼

◀ LX



Height: 11.4"/28.9 cm
Width: 7.1"/18.1 cm
Depth: 5.0"/12.8 cm
Watts: 150, 300
Finishes: SS, M
Material: Stainless Steel

◀ PX



Height: 13.5"/34.3 cm
Width: 7.5"/19.1 cm
Depth: 6.0"/15.2 cm
Watts: 300, 600, 900
Finishes: SS, WG[†], FW[†], AL[†], BZ, DG, WI, SB, FB
Material: Stainless Steel

LED Power Controllers ▼

◀ LUXOR® ZD



Height: 13.0"/33.0 cm
Width: 8.0"/20.3 cm
Depth: 5.0"/12.7 cm
Watts: 150, 300
Finishes: SS, M
Material: Stainless Steel



◀ LUXOR® ZDC

Height: 13.0"/33.0 cm
Width: 8.0"/20.3 cm
Depth: 5.0"/12.7 cm
Watts: 150, 300
Finishes: SS, M
Material: Stainless Steel



◀ LUXOR® SATELLITE

Height: 13.0"/33.0 cm
Width: 8.0"/20.3 cm
Depth: 5.0"/12.7 cm
Watts: 300
Finishes: SS, M
Material: Stainless Steel

Luxor Accessories ▼

◀ LUXOR CUBE



With the Luxor CUBE, the Luxor controller can now zone and dim other brands of low voltage and line voltage light fixtures.

◀ LAM

Light Assignment Module for use with Luxor Wi-Fi technology



◀ APP COMMUNICATION

Wi-Fi module with antenna or LAN module for Cat5 wired connection

Retrofit Lamps ▼

◀ MR16 LED LAMPS



LAMP: MR16
BASE: GU5.3
BEAM ANGLES: 4
MAX LUMENS: 260 - 370 lms

Mounting Accessories ▼

◀ RISERS AND COUPLINGS

Couplings and risers offer installation flexibility and customization for at-grade or wall-mounted applications.



◀ MOUNTS

Use mounts and junction boxes for a clean look and installation.

FXLuminaire.

Our mission is to create the most energy efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.



Gregory R. Hunter, President of Hunter Industries

Website hunterindustries.com | **Customer Support** 800-383-4747 | **Technical Service** 760-591-7383

A Hunter Industries Company

This brochure was printed on Forest Stewardship Council® (FSC®) certified paper with soy inks. The FSC is an international organization established to promote the responsible management of the world's forests.

© 2016 Hunter Industries Incorporated  Please recycle.

FXLIT-177-US C 12/16



Printed using
100% Wind
Energy, (RECs)