



*Small in shape, but big on LED efficiency, the BD combines soft geometric angles and robust quality to produce outstanding function and durability. Its subtlety and efficiency make it an ideal luminaire for a variety of landscapes and path types.*

### BD: Path Light

NUMBER OF LEDS:	1
HALOGEN LUMEN OUTPUT EQUIVALENT:	10 Watt
USEFUL LED LIFE (L70):	50,000 hrs avg
INPUT VOLTAGE:	10 to 15V
VA TOTAL: (Use this number to size the transformer)	2.4
WATTS USED:	2.0
LUMENS PER WATT (EFFICACY)	19.4
MAX LUMENS:	39
CCT (Ra)	86





# BD: Path Light

### FACTORY INSTALLED OPTIONS (TOP ASSEMBLY): Order 1 + 2

Step	Description	Code
1	TOP ASSEMBLY	BDLEDTA
2	TOP FINISH	AB*, AT*, CU, NP*, WG, FW, AL, BZ, DG, WI, VF, SB, FB

EXAMPLE: **BDLEDTA-SB** = BD Top Assembly - Sedona Brown Finish

### FACTORY INSTALLED OPTIONS (RISER ASSEMBLY): Order 1 + 2 (optional) + 3 + 4 + 5

Step	Description	Code
1	RISER TYPE	P
2	OPTIONAL ZD	ZD (Refer to the Luxor page in the Lighting Control section)
3	LAMP	1LED (50,000 avg. life hours)
4	RISER HEIGHT	8RA, 12RA, 18RA, 24RA, 36RA (in inches)
5	FINISH	AB*, AT*, CU, NP*, WG, FW, AL, BZ, DG, WI, VF, SB, FB


EXAMPLE: **P-ZD-1LED-12RA-SB** = Riser Type - ZD Option - 1 LED Board - 12" Riser - Sedona Brown Finish

### FIELD INSTALLED OPTIONS: Order Individually

Mounting Options	
Long Slot Spike (250015840000) 2.5" x 10" <b>Included</b> ▶	
Super Slot Spike (753900) 2" x 10"	
SuperJ-Box (SJ-XX**) 2.5" x 12"	
Post Mount (PM-XX**) 2.5" x 13"	

EXAMPLE: **753900** = Super Slot Spike

### PHOTOMETRICS:



Beam angle is calculated using LM-79 method for SSL Luminaires:  
 "Beam angle is defined as two times the vertical angle at which the intensity is 50% of the maximum."

### METALS

-  **AB** = Antique Bronze\* (On Copper/Brass)
-  **AT** = Antique Tumbled\* (On Copper/Brass)
-  **CU** = Copper
-  **NP** = Nickel Plate\*

### POWDER COAT

-  **WG** = White Gloss
-  **FW** = Flat White
-  **AL** = Almond
-  **BZ** = Bronze Metallic
-  **DG** = Desert Granite
-  **WI** = Weathered Iron
-  **VF** = Verde Speckle
-  **SB** = Sedona Brown
-  **FB** = Flat Black

The BD includes a 1LED board, and choice of riser size and finish, a 3 ft. lead wire and Long Slot Spike.

 All BD path lights come standard with amber, green, blue and frosted filters

**Note:** Only the copper portions of the path lights are powder coated. The brass pieces remain natural.

\* May require longer lead time  
 \*\* Denotes finish code