









It will easily light up your swimming pools at night, and give you the display that even professionals will envy.

# **LED Surface Mounted Swimming Pool Light**

Installing P56M swimming pool lamps to your swimming pool means you can also enjoy a swim at night. It also adds to the beauty of both the pool itself and the surrounding area. The combination of lights, music and color will help you create the right atmosphere at the right time and for each state of mind. And we always use lamps with cutting-edge technology to guarantee maximum durability and very low consumption. With PAR56M , you can enjoy a unique swimming pool every day.

## **Specifications**

Color RGB
Cable Connection 4 wires

Body Material ABS + Transparent PC cover

Dimension Φ290\*150.6mm

LED Type SMD3528

Number of LED 252

Input Voltage AC/DC 12V - 13V

Frequency 50~60Hz
Watts Used 14±1 W
Power Consumption 0.2322 A
Lumens per Watt 38.69 lm/w
Max Lumens: 116.80 lm

Working Temperature 0 - 40 °C Beam Angle 25°/120°

Application Fresh and salt water

IP Rating IP.68

Useful LED Life 30,000 hrs average


Warranty 2 years








### Light Source Test Report





#### Color Parameters:

Chromaticity Coordinate: x=0.6918 y=0.3081/u'=0.5208 v'=0.5218 Tc=1001K Dominant WL:Ld=620.1nm Purity=100.0% Centroid WL:628.0nm Ratio:R=95.8% G=4.2% B=0.0% Peak WL:Lp=630.0nm HWL:16.1nm

Render Index:Ra=16.4

R1 = 9R2 = 78 R3 = 33 R4 = -23R5 = 3R6 = 89R7 = 8

R8 = -67R9 = -217 R10 = 71R11 = -13R12=79 R13=31 R14 = 62R15 = -31

### Photo Parameters:

Flux: 116.80 lm Fe: 0.55293 W Efficacy:38.69 lm/W

LEVEL: WHITE: OUT

#### **Electrical Parameters:**

Luminaire: U=13.00V I=0.2322A P=3.019W PF=1.000

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=35439 (G=5, D=55)

REF=7261 (R=4) 8=-0.1828 PMT: 28.8 centigrade [27.9]

Product Type: Number: HG-PL-252S3 Temperature: 25.3 deg Test Operator:

Software: V2.00.100

Manufacturer: Heguang Ligthing Co., LTD Test Department: Heguang Ligthing Co., LTD

Humidity:65.0%

Test Date: 2015-06-15 14:55:46 Instrument: PMS-80 V1 (SN:1011025)