THE FX LUMINAIRE CANDELA PASSO WITH THE BOLLARD MOUNT IS PERFECT FOR COMMERCIAL TURF OR RESORT APPLICATIONS WHERE A GLARE FREE, LOW MAINTENANCE PATHLITE IS DESIRED. TIE BOLLARD STYLE DESIGN INTO THE SURROUNDING ARCHITECTURE.

COIL 12" SERVICE LOOP INSIDE SLEEVE

THE FX LUMINAIRE CANDELA PASSO INCORPORATES A LEVEL ADJUSTING FACEPLATE, 10 WATT MAXIMUM LAMP.


SITE BUILT BOLLARD

FINISH GRADE CONCRETE FOOTING

BLUE OR GRAY PLASTIC ENT CONDUIT

12 GA MAIN LINE CABLE US FX LITESPLICE TO TIE INTO MAINLINE

THIS FIXTURE IS DESIGNED FOR DOWN LIGHTING ONLY. DO NOT USE IN UP LIGHT POSITION.



SECTION/ELEVATION



THE FX LUMINAIRE CANDELA PASSO IN ANY HORIZONTAL MOUNTING APPLICATION WITH SUPPLIED HARDWARE.

THE FX LUMINAIRE CANDELA PASSO INCORPORATES A LEVEL ADJUSTING FACEPLATE, 10 WATT MAXIMUM LAMP.

WATERPROOF SLEEVE END TO PREVENT WATER FROM SEEPING THROUGH THE WALL INTO THE LAMP HOUSING. LEAVE 12" SERVICE LOOP COILED INSIDE THE SLEEVE.

FX LITESPLICE

12 GA MAINLINE CABLE

BLUE OR GRAY ENT CONDUIT WITH STRANDED THHN WIRE SIZED TO MATCH WATTAGE LOAD.

IF WALL IS STUCCOED OR COATED


USE THE "REUSABLE

CONSTRUCTION" COVER TO KEEP

CAVITY CLEAN AND CLEAR OF


DEBRIS.

THIS FIXTURE IS DESIGNED FOR DOWN LIGHTING ONLY. DO NOT USE IN UP LIGHT POSITION.





THE FX LUMINAIRE CANDELA PASSO USING SUPPLIED HARDWARE. MOUNT 8"-12" OFF FINISHED GRADE.



SECTION/ELEVATION

