


THE FX LUMINAIRE MOLLUSCO MURO WITH THE BOLLARD MOUNT IS PERFECT FOR COMMERCIAL TURF OR RESORT APPLICATIONS WHERE A GLARE FREE, LOW MAINTENANCE PATHLITE IS DESIRED. THE BOLLARD STYLE DESIGN INTO THE SURROUNDING ARCHITECTURE.



SECTION/ELEVATION


XX MOLLUSCO MURO(MM)
 BOLLARD MOUNT

NOT TO SCALE FX LUMINAIRE DETAIL

THE FX LUMINAIRE MULLUSCO MURO AS SHOWN USING 16 GAUGE CABLE AND PROVIDED WIRE NUTS.


THE FX LUMINAIRE MULLUSCO MURO INCORPORATES AN ADJUSTABLE LAMP SHROUD FOR FIELD LEVEL ADJUSTMENT, 10 WATT MAXIMUM LAMP.

WATERPROOF SLEEVE END TO PREVENT WATER FROM SEEPING THROUGH THE WALL INTO THE LAMP HOUSING. LEAVE 12" SERVICE LOOP COILED INSIDE THE SLEEVE.



- FX LITESPLICE
- 16 GA. CABLE
- 12 GA. CABLE

BLUE OR GRAY ENT CONDUIT WITH STRANDED THHN WIRE SIZED TO MATCH WATTAGE LOAD.



THIS FIXTURE IS DESIGNED FOR DOWN LIGHTING ONLY. DO NOT USE IN UP LIGHT POSITION.

SECTION/ELEVATION

XX

MULLUSCO MURO(MM)


CONCRETE WALL MOUNT

NOT TO SCALE


FX LUMINAIRE DETAIL

INSTALL FX LUMINAIRE
 MULLUSCO MURO USING 16
 GAUGE CABLE AND PROVIDED
 WIRE NUTS. MOUNT 8"–12" OFF
 FINISHED GRADE.

THE FX LUMINAIRE MULLUSCO
 MURO SHROUD DIAMETER IS 2.33".



WOODEN WALL
 MOUNTING HARDWARE PROVIDED
 WITH MULLUSCO MURO.
 THE FX MULLUSCO MURO
 INCORPORATES AN ADJUSTABLE
 LAMP SHROUD FOR FIELD LEVEL
 ADJUSTMENT, 10 WATT MAXIMUM
 LAMP.




THIS FIXTURE IS DESIGNED
 FOR DOWN LIGHTING ONLY.
 DO NOT USE IN UP LIGHT
 POSITION.

SECTION/ELEVATION

XX MULLUSCO MURO(MM)
 WOOD WALL MOUNT
 NOT TO SCALE FX LUMINAIRE DETAIL


THE FX LUMINAIRE MOLLUSCO MURO FIXTURE IS PERFECT FOR DECK POST MOUNT APPLICATIONS WHERE A GLARE FREE. LOW MAINTANENCE PATHLITE IS DESIRED.



MOUNTING HARDWARE PROVIDED WITH MULLUSCO MURO.

THE FX MULLUSCO MURO INCORPORATES AN ADJUSTABLE LAMP SHROUD FOR FIELD LEVEL ADJUSTMENT, 10 WATT MAXIMUM LAMP.

THIS FIXTURE IS DESIGNED FOR DOWN LIGHTING ONLY. DO NOT USE IN UP LIGHT POSITION.



SECTION/ELEVATION

XX MULLUSCO MURO(MM)
POST MOUNT

NOT TO SCALE FX LUMINAIRE DETAIL